
LEFT HANDLEBAR SWITCH



Ref. JP PS TR062

TECHNICAL FEATURES

- CNC-machined anodized aluminium body
- stronger and lighter than the original part
- IP69K protection
- · laser engraving
- wired with RAYCHEM 105° cable and sealed with RAYCHEM \$1125 resin

INSTALLATION

This product is plug-and-play, no modification is required on the bike:


- 1. make sure the ignition is turned off
- 2. disconnect and remove the original handlebar switch (refer to the manufacturer's workshop manual)
- 3. install the JETPRIME handlebar switch on the handlebar using the provided bolts, and tighten to 10 Nm
- 4. connect the wiring to the original connectors

riangle note

This handlebar switch comes with the clutch microswitch already included in the wiring.

When disconnecting the original handlebar switch, remove also the original clutch microswitch from its housing and substitute it with the one provided.


The new microswitch has different dimensions from the original one: use the adapter (A) to correctly position the microswitch, as shown in the figure.






FUNCTIONS

- 1. HIGH BEAMS
- 2. OK
- 3. LEFT TURN INDICATOR
- 4. TURN INDICATOR RELEASE
- 5. MODE
- 6. RIGHT TURN INDICATOR
- 7. HORN
- 8. RIGHT
- 9. UP
- 10. LEFT
- 11. DOWN









JETPRIME S.R.L.

Via Eugenio Montale, 1 41016 Novi di Modena - Rovereto sulla Secchia (MO) Phone: +39 059 672223 - Email: info@jetprime.it

www.jetprimeshop.it

All JETPRIME products are designed for racing use only and should be installed by an expert.

The manufacturer, importer, or dealer shall not be liable for any damage caused by improper installation or operation of the JETPRIME product.

The warranty is limited to defects recognized by our technical department and to normal use. The warranty is void in case of accident, modification, improper or racing use.

Do not install the product on a motorcycle for which it was not designed or tested by JETPRIME.

The technical specifications of JETPRIME products and related products are subject to change without notice.

