



INSTALLATION MANUAL

JP MJ 008 - MEMJET POWER MODULE

YAMAHA XTZ690 TÉNÉRÉ 700



WARNING: All Jetprime products are meant for racing use only and should be installed by an expert and skilled mechanic in order to not jeopardize any component or the motorbike operation. Jetprime is not responsible for any issue or damage done by an incorrect assembly, installation or any improper use of its products.

All pictures shown are for illustration purpose only. Actual product may slightly vary due to its enhancement or different colour of the material used for its assembly. The motorcycle shown may be slightly different due to a different color, version or configuration, with also other Jetprime components assembled on it.

Product components list

- Jetprime (wired) ECU (a)
- IAT bridge cable (b)

a




b





Motorbike Preparation

There's no need to unmount any part of the bike to install this component.





Unplug the cable from the Intake Air Temperature sensor, placed on the right side under the display support, and plug it to the JP ECU using the IAT connection cable, than connect the other side of the bridge cable to IAT once again.



Once connected, you can set the value using the manual knob. By setting the module to "0" (completely turned to the left) you will have the normal standard bike setting without any change on the carburation. We recommend to start with a value of "5" on lightly modified motorbikes.

END



All Jetprime products are completely designed and made in Italy.
Thank you for choosing our products.



Visit our store for more application for your bike!

www.jetprimeshop.it



Jetprime S.r.l. (Single Shareholder Company)

Via Eugenio Montale, 1 – 41016 Novi di Modena – Fraz. Rovereto (MO) – Italy

Phone: +39 059 672223 – Email: info@jetprime.it

Jetprime® is a registered trademark. All rights are reserved.